



TestKingonline.com

No Pass No Pay!

**MCSE, CCNA, CCNP, OCP, CIW, JAVA, Sun Solaris, Checkpoint
World No 1 Cert Guides**

**Axapta 3.0 Enterprise Portal Development
MB6-295**

Congratulations!

You have purchased a TestKingonline. Study Guide.

This study guide is a complete collection of questions and answers that have been developed by our professional & certified team. You must study the contents of this guide properly in order to prepare for the actual certification test. The average time that we would suggest you for studying this study guide is approximately 10 to 20 hours and you will surely pass your exam. We guarantee it!

GOOD LUCK!

DISCLAIMER

This study guide and/or material is not sponsored by, endorsed by or affiliated with Microsoft, Cisco, Oracle, Citrix, CIW, Checkpoint, Novell, Sun/Solaris, CWNA, LPI, ISC, etc. All trademarks are properties of their respective owners.

Guarantee

If you use this study guide correctly and still fail the exam, send a scanned copy of your official score notice at:

Sales@Testkingonline.com

We will gladly refund the cost of this study guide or give you an exchange of study guide of your choice of the Free.

This material is protected by copyright law and international treaties. Unauthorized reproduction or distribution of this material, or any portion thereof, may result in severe civil and criminal penalties, and will be prosecuted to the maximum extent possible under law.

Question: 1

You have been hired by a customer to configure the Content Management feature of their Enterprise Portal. Which TWO of the following (based on best practices) are the basic steps involved?

- A - Create categories in the Categories form and assign Web users to specific tasks (eg. Author, Moderator, Proof reader)
- B - On the Users tab on the Categories form, select all the Web users that can have access to the category Allow users to unsubscribe via the Portal.
- C - Do not assign Web users on the Users tabs on the Categories form. Allow Web users to subscribe themselves via the Portal.
- D - Enter all Articles on the Articles form. News articles cannot be entered via the Portal.

Answer: A, B

Question: 2

You are installing an Enterprise Portal for a company. They have purchased a 25 user Enterprise Portal license. They have 50 users who will use the new Enterprise Portal, and one Web server. Which one of the following statements is correct?

- A - They must purchase another 25 user Enterprise Portal license for all users to have access to the Enterprise Portal.
- B - They do not need to purchase any more licenses, but only 25 users can log into the Enterprise Portal at the same time
- C - They do not need to purchase any more licenses. They have only one Web server which is considered as one Enterprise Portal user.
- D - They should purchase another Web server and allow 25 users to log in synchronously via each Web server.

Answer: B

Question: 3

You need SSL to be enabled on a menu item in a specific Web site. When is this the case?

- A - SSL is always enabled on all menu items in a Web site when the parameter se SSL?on the Web site is active.
- B - SSL is enabled on the menu item by using the property ebsecuretransaction?and the parameter 'Use SSL' on the Web site is active.
- C - SSL is enabled on menu items for all Web sites by default.
- D - SSL only works on Microsoft Axapta classes and can be enabled in the class property sheet.

Answer: B

Question: 4

The Microsoft Axapta Enterprise Portal is role based. What is a role?

- A - A role is synonymous with a Web user.
- B - A role is a department in the employee hierarchy.
- C - A role defines a group of people who perform similar tasks.
- D - A role can be set to either Customer, Employee, Vendor or Business Relation.

Answer: C

Question: 5

What is the purpose of a switchboard?

- A - A switchboard handles TOP packets being sent to a Web server hosting multiple Web sites.
- B - A switchboard is enabled in the Article parameters to allow reply posts in the Content Management tool.
- C - A switchboard is used to navigate web users between multiple web sites.
- D - A switchboard handles TCP/IP requests being sent to a Web server from outside the LAN.

Answer: C

Question: 6

Where can the Microsoft Axapta Business Connector be registered as a COM+ application?

- A - From the Microsoft Axapta Configuration Utility.
- B - From the Windows Control Panel.
- C - From the Microsoft Axapta setup wizard.
- D - From a Windows command prompt.

Answer: A

Question: 7

The company you are working for wants to deploy a Live and and Test Enterprise Portal. You have decided that each should be deployed on a separate Web server, but from the same Microsoft Axapta application. Which TWO of the following configurations will you require?

- A - One Business Connector on the Application Server.
- B - Two Business Connectors - one on each Web Server.
- C - In each instance of 113, set the Web site to point at the Microsoft Axapta Business Connector.
- D - In each Web site record in Microsoft Axapta, set the Web server name to the relevant Web server.

Answer: B, D

Question: 8

In the Customer Self-Service parameters, you can see that the 'Start product group' setting has

been set as 'SOFTWARE_PRODUCTS'. What does this mean?

- A - Items in the SOFTWARE_PRODUCTS item group can have production orders started via the Enterprise Portal.
- B - Items in the SOFTWARE_PRODUCTS category in the Product Catalog Manager will be displayed when a customer logs into the Enterprise Portal.
- C - When a new product group is created in the Enterprise Portal, its name will default to SOFTWARE_PRODUCTS.
- D - Items in the SOFTWARE_PRODUCTS item group must be selected for an Enterprise Portal Sales Order before other products become available.

Answer: B

Question: 9

You have created a new CSS class in the Cascading StyleSheet Editor for displaying code in a fixed-width font. How do you apply it to text on your web pages?

- A - In the Web Application Editor, highlight the text that should be displayed in a fixed-width font. On the formatting toolbar, select the new CSS class from the CSS list.
- B - In the Web Application Editor, highlight the text that should be displayed in a fixed-width font. Right-click on the text and select CSS. Choose the new CSS class from the list.
- C - In the Web Application Editor, open the Page Properties from the Format menu, and add the new CSS class to the CSS list.
- D - CSS classes can only be applied to text inside Web elements or WebLets, not directly on Web Pages.

Answer: A

Question: 10

Why are label files used in web application development? Choose TWO.

- A - Because static text cannot be saved into a Web page.
- B - Multi-language websites are easier to deploy and maintain
- C - They promote consistency across the application with regards to visible texts
- D - Performance is improved when using of label files.

Answer: B, C

Question: 11

The company you are working for has asked you to create a new Activity Center for the Marketing department. You have decided to duplicate the Sales Representative Activity Center and modify it. Which THREE of the following steps do you need to do?

- A - Create a new Marketing Web menu. Then, on the duplicated Web Page, point the Web Menu to the new Marketing Web menu.
- B - Create a new Marketing Web panel. Then on the duplicated Web Page, point the

Web Target Web let to the new Marketing Web panel.

C - Create new Web pages for each of the new Marketing Web forms and reports.

D - Create a new Marketing Activity Center security key and user group, and assign the key to the new Web Panel.

Answer: A, B, D

Question: 12

In the Cascading StyleSheet Editor, your StyleSheet has the following FONT values: BODY= Anal TABLE = Default TD = Default TD.grandtotal = Default If you wish to change the Font for all these tags and classes, which of the following values would you need to change?

A - BODY

B - BODY. TABLE

C - BODY, TABLE, TD

D - TABLE, TD, TD.grandtotal

Answer: A

Question: 13

How should you insert your own HTML code into a Web Page?

A - Insert the HTML editor WebLet into the Web Page and type the HTML code into it.

B - Type the HTML directly onto the Normal tab in the Web Application Editor. The Editor will parse the HTML tags automatically.

C - Choose the HTML option from the Advanced sub-menu on the Insert menu in the Web Application Editor.

D - HTML code cannot be inserted onto Microsoft Axapta Web Pages without being part of a WebLet.

Answer: C

Question: 14

What are the core X++ Web classes involved in running all Microsoft Axapta Web sites?

A - WebSession, WebApplication, WebPage, WebPageWeblet

B - WebSession, WebApplication, WebPage

C - WebLogonWeblet, WebSession, WebApplication, WebPage

D - WebSession, WebPage

Answer: A

Question: 15

What does the call WebSession.cacheWrite(TRUE) achieve?

A - Sends the WebSession cache directly to the ASP response object.

- B - Cache the output on the WebSession until the same method is called with a FALSE parameter.
- C - Turn WebPage caching OFF on the Web Server.
- D - Turn WebPage caching ON on the Web Server.

Answer: B

Question: 16

Which TWO of the following statements are true about Web Panels?

- A - Web panels allow you to pre-package a collection of Web components, ready to embed into a Web page.
- B - Web panel components should be all intended for the same audience.
- C - Web panels cannot contain other Web panels.
- D - User customized Web panels must be created in the application and cannot be created in the Portal.

Answer: A, B

Question: 17

Where can you create new Web panels?

- A - From the Web Panel folder in the ACT
- B - From the Web Panel form on the Administration Menu
- C - From the Insert menu on the Web Application Editor
- D - From the Web Parts form on the Administration Menu

Answer: B

Question: 18

What is the purpose of the error handler Weblet?

- A - To generate an error log file on the Web server.
- B - To generate an error log file on the Microsoft Axapta server.
- C - To catch any errors and automatically launch the Microsoft Axapta debugger.
- D - To handle and send information from the Infolog to the browser.

Answer: D

Question: 19

Which below best describes the storage hierarchy of Web Pages in Microsoft Axapta?

- A - All Web Pages can be located in the AOT, all directly under the Web Pages node1 which is under the Web node.
- B- All Web Pages can be located in the AOT, under Web1 then Web Pages, from this node, there are 2 folders:

Standard
Pages, PDA Pages.

C- All Web Pages can be located in the AOT, under Web1 then Web Pages, then HTML Pages.
From this node, there are 3 folders: Standard Pages, PDA Horizontal Pages and PDA Vertical Pages.

D - Web Pages are only located in the Web Project/Application folders.

Answer: C

Question: 20

What TWO steps from the list below must you take when creating a new Activity Center?

- A - Add a new Menu Item to the global menu.
- B - Update menus on existing Activity Centers.
- C - Create a new Web Page.
- D - Create new Web users.

Answer: A, C

Question: 21

Which TWO of the methods below will insert a WebForm on a Web Page?

- A - Drag the WebForm from the AOT onto the Web Application Editor.
- B - In the Web Application Editor, insert a Menu Item that links to the Web Form.
- C - From the Web Application Editor, choose WebForm from the Element menu, and choose the required Web Form from the list.
- D - From the Web Application Editor, choose Microsoft Axapta Element WebForm from the Insert menu. Set the new WebForms MenuItemNameDisplay properly to the required Web Form.

Answer: A, D

Question: 22

When you use the 'View in Browser' feature on a Web form, which of the following options are available to you?

- A - View the Web form in any StyleSheet rendering.
- B - Test the functionality' of the Web form.
- C - See how the Web form will appear in an Internet Explorer 8 browser.
- D - See how the Web form will appear in three different browser types: Internet Explorer, Netscape and Mozilla.

Answer: A, C

Question: 23

You have created a Web Application/Project that has anonymous access. Where will you specify the first Web page that a user will see?

- A - On the properties of the Web page that should be displayed first, on the 'Start Page' properly.
- B - On the properties of the Web page that should be displayed first, on the 'Online Page' properly.
- C - In the Web Application/Project Settings, on the 'Online Page' setting.
- D - In the Web Application/Project Settings, on the 'Start Page' setting.

Answer: C

Question: 24

What do you need to do to delete a row in a WebGrid?

- A - Place the cursor on the grid row and press <ALT>÷<F9>.
- B - Mark the row by selecting the checkbox in the electcolumn?column, and press the elete marked?button.
- C - Place the cursor in the grid row and press <DELETE>.
- D - Place the cursor in the grid row and press the elete?button.

Answer: B

Question: 25

What are the layout options for displaying lookup information on a Web form?

- A - Popup. custom.
- B - Preload (combo box), popup.
- C - Preload (combo box), popup, custom.
- D - Preload (combo box), custom.

Answer: C

Question: 26

How is a startup page specified?

- A - Name the page PHomePageOffline?
- B - Right click on the page and select et as startup page?
- C - Select the page on the Web site.
- D - Change the Start page parameter in the Web application settings.

Answer: D

Question: 27

When you start a Web Project from scratch, which TWO of the following objects are already created for you?

- A - Web Pages
- B - Web Files
- C - Resources
- D - Web Classes

Answer: B, C

Question: 28

In the Web Application/Project settings, what does the 'Online Page' setting refer to?

- A - The Web page with the Logon form.
- B - The Web page displayed once a user is authenticated.
- C - The Web page displayed when a browser requests the Web site from outside the company intranet.
- D - The Web page with a switchboard to select the correct Portal to connect to.

Answer: B

Question: 29

Which THREE of the following options are found under the 'Web' node on the ACT?

- A - Web Files
- B - Web Pages
- C - Web Menu Items
- D - Web Menus

Answer: A, B, D

Question: 30

What is the main purpose of the WebLink class?

- A - To establish a link between the Web application editor and Microsoft Axapta elements.
- B - To make a link between the ASP objects and Web forms.
- C - To establish a link between a Web user and a Web site.
- D - To build an HTML hyperlink.

Answer: D

Question: 31

How is a WebLet stored in a WebPage?

- A - Using a special placemaker in HTML comments, containing the WebLet type, and all the WebLet properties.
- B- Using the HTML output of the WebLets designView() method, and implanting this into the Web page code.
- C - Using ASP code to represent the WebLet's X++ code.

D - Using a menu item coded in ASP and embedded in in the Web page code.

Answer: A

Question: 32

Which class generates the HTML for a Horizontal type Web menu?

- A - WebHorzMenuHTML
- B - WebMenuHTML
- C - WebMenuWeblet
- D - WebPageWeblet

Answer: A

Question: 33

Under which of the following circumstances would you need to use custom X++ code to fetch information on the Web user?

- A - You need to restrict access to a Web report to certain roles.
- B - You need to modify a Web report to display different columns for different roles.
- C - You need to modify a Web panel to display different sub-panels for different roles.
- D - You need to restrict access to an Activity Center to certain roles.

Answer: B

Question: 34

You have a Web form that inputs data into Journals in the Microsoft Axapta database. Which path should your data take to get from the Web Form, and into the correct Journal tables.

- A - From the WebForm to a Table, then passed to a Class, and finally inserted into the correct JournalTable and JournalTrans tables.
- B - From the WebForm directly into the JournalTable and JournalTrans tables.
- C - From the WebForm to a Map, then inserted into the JournalTable and JournalTrans tables.
- D - From the WebForm to a standard Form, then inserted into the JournalTable and JournalTrans tables.

Answer: A

Question: 35

How is the login name for the current Web user retrieved?

- A – WebSession().WebLogin().
- B – WebSession().IoginName().
- C – Websession().user().
- D – WebSession().WebUser().

Answer: A

Question: 36

The class that should be extended when creating a new WebLet is:

- A - WebFramworkweblet.
- B - WebAppWebLet.
- C - WebApplicationWebLet.
- D - SysWeb Let.

Answer: B

Question: 37

At run time, your new WebLet need to fetch an image value from the WebLets properties. How and where do you fetch this value?

- A - Using image .value() in the getProp() method.
- B - Using this.properties() in the run() method.
- C - Using this.properties() in the main() method.
- D - Using this.getProp() in the run() method.

Answer: D

Question: 38

Which TWO of the following statements are TRUE about new WebLets?

- A - The run() method must return a string containing HTML.
- B - The run() method must return void, but call the WebSession().writeTxt() method.
- C - The designView() method must return a string containing HTML.
- D - The designView() method must return void, but call the WebSession().writeTxt() method.

Answer: B, C

Question: 39

When is the method esignView?called on a Weblet?

- A - When a Web page that contains the Weblet is previewed in the Web Application Editor.
- B - When the user right clicks on the Weblet and selects dd-Ins?and iew in Browser?
- C - When selecting the preview tab on the Weblets form.
- D - When previewing the Weblet in the Weblet Wizard.

Answer: A

Question: 40

The company you are working for would like to use their users email addresses as their login to

the new Enterprise Portal. What can you do about this?

- A - This will work in the Microsoft Axapta Enterprise Portal, so long as all characters are in lowercase.
- B - Logins longer than 10 characters will not be accepted by the standard Enterprise Portal. You may have to add code to translate the email addresses to shorter 10 character representations.
- C - Logins longer than 10 characters will not be accepted by the standard Enterprise Portal. You cannot use email addresses to login.
- D - This will work if you increase the length of the WebLogin extended data type.

Answer: B

Question: 41

You are in the process of developing an Enterprise Portal, and are testing it in a browser. The changes you have just made in the application are not appearing in the browser window. What is the most likely cause?

- A - The Business Connector is not working.
- B - Cookies has not been enabled on the browser.
- C - 'Caching' is set to Yes on the Web site.
- D - 'Development Mode' is set to No on the Web site.

Answer: D

Question: 42

How can you disable caching on a Web site?

- A - On the Content tab on the Web Sites form, deactivate the Caching option.
- B - On the Content tab on the Web Sites form, activate the Development Mode option.
- C - On the Web Application/Project Properties, set 'Caching' to No.
- D - On the Web Application/Project Settings, set 'Development Mode' to Yes.

Answer: B

Question: 43

You have been experiencing difficulty with your web server. A port scan has revealed that your port 80 has been infected with a parasitic piece of software. You urgently need to demo a Microsoft Axapta Enterprise Portal on that web server. How can you circumvent the issue temporarily?

- A - There is nothing you can do until the parasitic software is removed. Try' to use a different Web server.
- B - Change the 'WWW address' field on the Microsoft Axapta Web Site properties to include a number other than 80. You can then call that port explicitly in a browser.
- C - Change the TCP port in the 113 Web Site properties to a number other than 80. You can then call that port explicitly in a browser.

D - Change the TCP port in the 113 Web Site properties to a number other than 80. You also need to add the new port number to the 'WWW address' field on the Microsoft Axapta Web site record. You can then call that port explicitly in a browser.

Answer: D

Question: 44

What is the default Connection Timeout setting on the IS Web Site?

- A - 1000 seconds
- B - 25 minutes
- C - 30 minutes
- D - 900 seconds

Answer: D

Question: 45

Where/how is the Business Connector shut down? (Select TWO responses)

- A - From the Microsoft Axapta Configuration Utility.
- B - From the Microsoft Axapta Internet parameters.
- C - From the Windows Component services/Windows Transaction server.
- D - By shutting down Microsoft Axapta Object Server.

Answer: A, C

Question: 46

You need to create a new field that will display the delivery date of a sales order in the Customer Self Service checkout screen, however the label for the field should read 'Proposed delivery date'. For internal users of Axapta, the label of the should remain as 'Delivery date'. What is the correct way to approach this according to Best Practices?

- A - Create a new Extended Data Type that extends DlvDate, and set the label property to 'Proposed delivery date' using an appropriate label tile to store the label.
- B - Create a new Extended Data Type that extends DlvDate, and set the label property to 'Proposed delivery date', but do not use a label file.
- C - Change the DlvDate Extended Date Type label property to 'Proposed delivery date'.
- D - Set the label property on the new field to 'Proposed delivery date'.

Answer: A

Question: 47

How is online help for a Web form written?

- A - Press <F1> on the Web form in the ACT and select dit?
- B - Right click on the Web form in the ACT and select dit help?

- C - Right-click on the web form in the ACT, select dit?then press <Fl>
- D - Press <Fl> on the web form in the ACT.

Answer: A

Question: 48

Which of the following element properties should always be populated with a label id, according to Best Practices?

- A - WebForm.design.caption
- B - WebMenu.menuitem.MenuitemName
- C - Webpeport.DataSources.Query.Title
- D - Webpage.Helptext

Answer: A

Question: 49

You wish to add a function to your Enterprise Portal Employee Time Sheet entry, that will transfer the time sheet entries to a Project Hours journal, without the need for approval. Where should the code that creates the ProjJournalTrans records be placed?

- A - In the clicked method on a button on the WebForm.
- B - In a method on the datasource of the WebForm, that is called by the clicked method on the WebForm.
- C - In a form method on WebForm, that is called by the clicked method on the WebForm.
- D - In a class that is called by a menu item button on the WebForm.

Answer: D

Question: 50

A method you have written needs to return a HTML formatted string containing the text tem <item id > is on hold? all in bold. What is the correct way to construct this string, according to Best Practices. The label for label id @SYS20808, is tem %1 is on hold?

- A - strFmt('?b>%1 ', strFmt("@SYS20808",itemld));
- B - strFmt(" @SYS20808 ",itemld);
- C - ' Item ?+ itemld +?is on hold ';
- D - '? strFmt("@SYS20808",itemld) + ?/b>?

Answer: A

Question: 51

How is Web user access to Questionnaires in the Enterprise Portal configured?

A - Assign Questionnaires to a Web users in the Web user form. The Web user will then have access to the Questionnaires via the Portal.

B - Assign Employees or Contact Persons to Network Groups that have access to Questionnaires. The related Web user will then have access to the Questionnaires via the Portal.

C - Assign Web users to Network Groups that have access to Questionnaires. The Web user will then have access to the Questionnaires via the Portal.

D - Assign Enterprise Portal roles (user groups) to a Questionnaire in the Questionnaire form. The related Web users will then have access to the Questionnaires via the Portal.

Answer: B

Question: 52

You need to create a Web user account for a new employee called John Smith. Which of the following THREE steps do you need to take?

A - Ensure there is an Employee record correctly set-up for John Smith. which is a member of the User group EP_Empl.

B - Create a new Web user and assign it to John Smiths employee record.

C - Assign the new Web user to the correct Web sites on the Web sites form.

D - Assign the new Web user to the correct Web sites on the Web user form.

Answer: A, B, D

Question: 53

When does the 'Webs ecurTransaction' property for a menu item need to be enabled?

A - If the menu item outputs vital data requiring secure communication.

B - If the menu item requires that a user is logged on to the Web site.

C - If it is necessary for the menu item to be run in exclusive mode 1 (i.e. only one user can run the menu item at a time).

D - If the menu item runs code that makes database transactions through a firewall.

Answer: A

Question: 54

You are installing an Enterprise Portal for a company who want to protect their sensitive data using SSL. Which steps would you take to install a digital certificate?

A - From their Web site properties in IIS, run the Web Server Certificate wizard to request and install a digital certificate from a certifying authority.

B - Request a digital certificate from a certifying authority website, then install it from the Microsoft Mapta Web site form.

C - Request a digital certificate from the Microsoft Business Solutions website, then install it from the Microsoft Axapta Internet parameters.

D - From the Microsoft Axapta Configuration Utility, run the Web Server Certificate wizard to request and install a digital certificate from a certifying authority.

Answer: A

Question: 55

You have been hired by a customer to configure the Content Management feature of their Enterprise Portal. Which TWO of the following (based on best practices) are the basic steps involved?

- A - Create categories in the Categories form and assign Web users to specific tasks (eg. Author, Moderator, Proofreader).
- B - On the Users tab on the Categories form, select all the Web users that can have access to the category. Allow users to unsubscribe via the Portal.
- C - Do not assign Web users on the Users tabs on the Categories form. Allow Web users to subscribe themselves via the Portal.
- D - Enter all Articles on the Articles form. News articles cannot be entered via the Portal.

Answer: A, B

Question: 56

Where do you install Internet Information Services (IIS) on a Windows based machine?

- A - From the Microsoft Axapta Configuration Utility on the 'Business Connector' tab.
- B - From the 'Add/Remove Windows Components' wizard in the 'Add/Remove Programs' dialog on the Windows Control Panel.
- C - From the 'Add/Remove Programs' dialog on the Windows Control Panel.
- D - By launching the IIS installation file from the Microsoft Axapta Installation CD.

Answer: B

Question: 57

To be a valid for Microsoft Axapta 3.0, a new Web part must have which TWO of the following attributes?

- A - Web part must be issued by Microsoft.
- B - Web part must have tile extension DWP
- C - Web part must not include scripting.
- D - Web part must not include XML.

Answer: B, C

Question: 58

Which TWO of the following settings need to be configured to allow anonymous access on a Web site?

- A - 'Allow anonymous users' parameter on the Web site set to active.
- B - 'Login name' parameter on the Web site set to a Web user with access to the Web site.
- C - 'Authentication required' parameter on the Web site set to inactive.
- D - 'Anonymous permission level' parameter on the Web site set to 'Employee' or 'Customer'

Answer: A, B

Question: 59

What are the core X++ Web classes involved in running all Microsoft Axapta Web sites?

- A - WebSession, WebApplication, WebPage, WebPageWeblet
- B - WebSession, WebApplication, WebPage
- C - WebLogonWeblet, WebSession, WebApplication, WebPage
- D - WebSession, WebPage

Answer: A

Question: 60

How can a Web panel be restricted for viewing by only Employees?

- A - Assign the EPEmployee Security Key to the Web panels properties in the ACT.
- B - Assign the EPEmployee Security Key to the Web panel on the 'Setup' tab.
- C - Assign Web users rights to view the Web panel on the 'Users' tab.
- D - Web panels can only be restricted for viewing by Employees by placing them on an Employee Activity Center.

Answer: B

Question: 61

What is the purpose of the error handler Weblet?

- A - To generate an error log file on the Web server.
- B - To generate an error log file on the Microsoft Axapta server.
- C - To catch any errors and automatically launch the Microsoft Axapta debugger.
- D - To handle and send information from the Infolog to the browser.

Answer: D

Question: 62

The company you are working for has asked you to create a new Activity Center for the Marketing department. You have decided to duplicate the Sales Representative Activity Center and modify it. Which THREE of the following steps do you need to do?

- A - Create a new Marketing Web menu. Then, on the duplicated Web Page, point the Web Menu to the new Marketing Web menu.
- B - Create a new Marketing Web panel. Then on the duplicated Web Page, point the

WebTargetWeblet to the new Marketing Web panel.

C - Create new Web pages for each of the new Marketing Web forms and reports.

D - Create a new Marketing Activity Center security key and user group, and assign the key to the new Web Panel.

Answer: A, B, D

Question: 63

Changing the border of a HTML tag requires which of the following?

A - Modify the CSS (cascading style sheet) for the unique id IMG.

B - Modify the CSS for the class IMG.

C - Modify the CSS for the HTML tag IMG.

D - Modify the CSS for the field IMG.

Answer: C

Question: 64

What is the purpose of CSS (cascading style sheets)?

A - To merge content and layout.

B - To be cross-browser compliant.

C - To separate content from layout.

D - To provide multi-media content on your Web site.

Answer: C

Question: 65

You have created a new CBS class in the Cascading StyleSheet Editor for displaying code in a fixed-width font. How do you apply it to text on your web pages?

A - In the Web Application Editor, highlight the text that should be displayed in a fixed-width font. On the formatting toolbar, select the new CBS class from the CSS list.

B - In the Web Application Editor, highlight the text that should be displayed in a fixed-width font. Right-click on the text and select CSS. Choose the new CBS class from the list.

C - In the Web Application Editor, open the Page Properties from the Format menu, and add the new CBS class to the CSS list.

D - CSS classes can only be applied to text inside Web elements or WebLets, not directly on Web Pages.

Answer: A

Question: 66

In the standard Enterprise Portal, the EPHome Web Panel appears on the EPHomepageOnline Web page. How has this been done?

- A - The WebTargetWeblets 'WebPanelName' property is equal to the EPHome Web panel name.
- B - A WebPanelWeblet has been inserted into the Web page, and its 'WebPanelName' property is equal to the EPHome Web panel name.
- C - The EPHome Web panels security key is not set to any particular role. This makes the Web Panel automatically appear on the EPHomepageOnline.
- D - A WebIncludeWeblet has been inserted into the Web page and its WebPageInclude' property is equal to the EPHome Web panel name.

Answer: A

Question: 67

What property can you set on a Web Form to apply a specific CSS Class?

- A - CssClass
- B - Uniqueld
- C - ColorScheme
- D - None. Css can only be set from the Web Application Editor

Answer: A

Question: 68

Which TWO of the following statements are TRUE about importing and exporting Cascading Stylesheets?

- A - Proper CSS files edited in any external editor can be imported into Microsoft Axapta.
- B - Only CSS files created in Microsoft Axapta can be used.
- C - Cascading Stylesheets created in Microsoft Axapta cannot be exported.
- D - The CSS code on the Source tab on the Cascading StyleSheet Editor can be copied and pasted into a useable CSS file.

Answer: A, D

Question: 69

Which below best describes the storage hierarchy of Web Pages in Microsoft Axapta?

- A - All Web Pages can be located in the ACT, all directly under the Web Pages node, which is under the Web node.
- B- All Web Pages can be located in the ACT, under Web, then Web Pages, from this node, there are 2 folders:
Standard
Pages, PDA Pages.
- C - All Web Pages can be located in the ACT, under Web, then Web Pages, then HTML Pages. From this node, there are 3 folders: Standard Pages, PDA Horizontal Pages and PDA Vertical Pages.
- D - Web Pages are only located in the Web Project/Application folders.

Answer: C

Question: 70

The code to authenticate the Web user in an Enterprise Portal environment is done in which location?

- A - In the closeOK() method on the WebLogon Web form.
- B - In the Logon() method on the WebApplication class.
- C - In the run() method on the WebLogonWeblet class.
- D - In the new() method on the WebSession class.

Answer: B

Question: 71

What is the purpose of the Web Application Engine Weblet?

- A - To provide error handling on Web pages.
- B - To specify a target area for display of Microsoft Axapta elements on a Web page.
- C - To provide data link to the Microsoft Axapta server.
- D - To specify a target area for display of Web user information.

Answer: B

Question: 72

When you use the 'View in Browser' feature on a Web form, which of the following options are available to you?

- A - View the Web form in any StyleSheet rendering.
- B - Test the functionality of the Web form.
- C - See how the Web form will appear in an Internet Explorer Browser.
- D - See how the Web form will appear in three different browser types: Internet Explorer, Netscape and Mozilla.

Answer: A, C

Question: 73

How is a startup page specified?

- A - Name the page PHomePageOffline?
- B - Right click on the page and select it as startup page?
- C - Select the page on the Web site.
- D - Change the Start page parameter in the Web application settings.

Answer: D

Question: 74

Which THREE of the following options are found under the 'Web' node on the AOT?

- A - Web Files
- B - Web Pages
- C - Web Menu Items
- D - Web Menus

Answer: A, B, D

Question: 75

What do you need to do to delete a row in a WebGrid?

- A - Place the cursor on the grid row and press <ALT>+-<F9>.
- B - Mark the row by selecting the checkbox in the electcolumn? column, and press the elete marked?button.
- C- Place the cursor in the grid row and press <DELETE>.
- D - Place the cursor in the grid row and press the elete?button.

Answer: B

Question: 76

What are the layout options for displaying lookup information on a Web form?

- A - Popup, custom.
- B - Preload (combo box), popup.
- C - Preload (combo box), popup, custom.
- D - Preload (combo box), custom.

Answer: C

Question: 77

You have created a Web Application/Project that has anonymous access. Where will you specify the first Web page that a user will see?

- A - On the properties of the Web page that should be displayed first, on the 'Start Page' property
- B - On the properties of the Web page that should be displayed first, on the 'Online Page' properly.
- C - In the Web Application/Project Settings, on the 'Online Page' setting.
- D - In the Web Application/Project Settings, on the 'Start Page' setting.

Answer: C

Question: 78

What are the Server Files in the Web Files folder in the Web Project/Application Explorer?

- A - Server-side ASP tiles that are located and run on the Web server.

- B - Client-side Javascript tiles that are located and run on the client.
- C - Client-side Javascript files that are located on the Web server and downloaded to the client.
- D - Server-side ASP tiles that are located on the Microsoft Axapta server and run on the Web server.

Answer: A

Question: 79

The company you are working for has requested that you create a Web Tunnel for the Enterprise Portal they are developing. Where in the ACT would you create and store the Web Tunnel?

- A - Under WebTunnels.
- B - Under Resources.
- C - Under WebForms.
- D - Under Classes.

Answer: C

Question: 80

You have a Web form that inputs data into Journals in the Microsoft Axapta database. Which path should your data take to get from the Web Form, and into the correct Journal tables.

- A - From the WebForm to a Table, then passed to a Class, and finally inserted into the correct JournalTable and Journal Trans tables.
- B - From the WebForm directly into the JournalTable and JournalTrans tables.
- C - From the WebForm to a Map, then inserted into the JournalTable and JournalTrans tables.
- D - From the WebForm to a standard Form, then inserted into the JournalTable and JournalTrans tables.

Answer: A

Question: 81

Which Weblet method generates the HTML that is sent to the browser?

- A- run().
- B- show().
- C- write().
- D- layout().

Answer: A

Question: 82

Under which of the following circumstances would you need to use custom X++ code to fetch information on the Web user?

- A - You need to restrict access to a Web report to certain roles.

- B - You need to modify a Web report to display different columns for different roles.
- C - You need to modify a Web panel to display different sub-panels for different roles.
- D - You need to restrict access to an Activity Center to certain roles.

Answer: B

Question: 83

How is the login name for the current Web user retrieved?

- A – WebSession().WebLogin().
- B - WebSession().loginName().
- C - WebSession().user().
- D - WebSession().WebUser().

Answer: A

Question: 84

You have just created a new WebLet from scratch. Which THREE methods should you immediately create?

- A – descriptions()
- B - webletName()
- C - getHelpText()
- D - getContext()

Answer: A, C, D

Question: 85

The company you are working for has put a large emphasis on using META tags in their Web site to assist in Search Engine indexing, and version control. How would you implement META tags into the Microsoft Axapta Web site?

- A - Customize the WebPageWeblet class, to print META tags between the HTML HEAD tags.
- B - Customize the WebPageWeblet class, to print META tags between the HTML BODY tags.
- C - Customize the WebApplication class, to print META tags between the HTML BODY tags.
- D - Customize the WebApplication class, to print META tags between the HTML HEAD tags.

Answer: A

Question: 86

When a Web page containing a Weblet is saved, where are the Weblet and its properties stored?

- A - As part of the Web page.
- B - In the ADD file.
- C - In the WebletTable table.
- D - In the AHD file.

Answer: A

Question: 87

You want to add some VBScript to make an Image change when the mouse moves over it. How can you achieve this?

A - Make a new WebLet which is based on the WebImageWeblet. Add script which harnesses the 'mouseover' event, and changes the images 'src' value.

B - Set the images 'AlternateImage' property to the name of the alternate image.

C - Write a script which harnesses the 'mouseover' event, and changes the images 'src' value.

Put this script in a VB file and save it to the Web server.

D - This is not possible in the Microsoft Axapta Web framework.

Answer: A

Question: 88

You need to embed another Web page into an Activity Center. This will appear as a bar at the bottom of the page containing company news. What Weblet would you use to embed the news Web page into the Activity Center?

A - Discussion Forum (WebDiscForumWeblet)

B - Web Target Weblet (WebAppEngineWeblet)

C - Embed WebLet (WebEmbedWeblet)

D - Include WebLet (WebIncludeWeblet)

Answer: D

Question: 89

You need to insert external scripting inside the <BODY> tag, so that you can harness a page event such as 'on Load'. Which class do you need to customize to do this?

A - WebApplication

B - WebPage

C - WebPageWeblet

D - None. This cannot be done in the Microsoft Axapta Web framework.

Answer: C

Question: 90

How can you disable caching on a Web site?

A - On the Content tab on the Web Sites form, deactivate the Caching option.

B - On the Content tab on the Web Sites form, activate the Development Mode option.

C - On the Web Application/Project Properties, set 'Caching' to No.

D - On the Web Application/Project Settings, set 'Development Mode' to Yes.

Answer: B

Question: 91

Where/how is the Business Connector shut down? (Select TWO responses)

- A - From the Microsoft Axapta Configuration Utility’.
- B - From the Microsoft Axapta Internet parameters.
- C - From the Windows Component services/Windows Transaction server.
- D - By shutting down Microsoft Axapta Object Server.

Answer: A, C

Question: 92

Something is not working correctly when you test your Enterprise Portal. You are convinced it is a bug in your WebLet code, but need to debug it to check. Can you do this? If so, how?

- A - No, you cannot debug in the Microsoft Axapta Web Framework.
- B - You can set the ‘Debugging’ value to active in the 113 Web Site Properties.
- C - You can set the ‘Allow debugging of X++ code running in the Axapta Business Connector’ property on the Microsoft Axapta Configuration Utility to active.
- D - You can set the ‘Allow debugging’ property on the Web site in Microsoft Axapta to be active.

Answer: C

Question: 93

You have been experiencing difficulty with your web server. A port scan has revealed that your port 80 has been infected with a parasitic piece of software. You urgently need to demo a Microsoft Axapta Enterprise Portal on that web server. How can you circumvent the issue temporarily?

- A - There is nothing you can do until the parasitic software is removed. Try to use a different Web server.
- B - Change the WA’W address’ field on the Microsoft Axapta Web Site properties to include a number other than 80. You can then call that port explicitly in a browser.
- C - Change the TCP port in the IIS Web Site properties to a number other than 80. You can then call that port explicitly in a browser.
- D - Change the TCP port in the 113 Web Site properties to a number other than 80. You also need to add the new port number to the ‘WWW address’ field on the Microsoft Axapta Web site record. You can then call that port explicitly in a browser.

Answer: D

Question: 94

You are in the process of developing an Enterprise Portal, and are testing it in a browser. The changes you have just made in the application are not appearing in the browser window. What is the most likely cause?

- A - The Business Connector is networking.
- B - Cookies has not been enabled on the browser.
- C - 'Caching' is set to Yes on the Web site.
- D - 'Development Mode' is set to No on the Web site.

Answer: D

Question: 95

How can you verify that the Business connector is correctly registered?

- A - By displaying the Business Connector status from Microsoft Axapta Internet parameters.
- B - By displaying the COM status from Windows Component services/Windows NT transaction server.
- C - By displaying the Business Connector status from Microsoft Axapta Configuration Utility.
- D - By checking the Windows services for a running Microsoft Axapta Business Connector service.

Answer: A

Question: 96

A method you have written needs to return a HTML formatted string containing the text tern <item id > is on hold? all in bold. What is the correct way to construct this string, according to Best Practices. The label for label id @SYS20808 is tern %1 is on hold?

- A - `strFmt("<b>%1 </b>", strFmt("@SYS20808", itemld));`
- B - `strFmt('kb> @SYS20808 </b>', itemld);`
- C - `<b> Item ?+ itemld +?is on hold </b>';`
- D - `<b>? strFmt("@SY320806", itemld) + ?/b>?`

Answer: A

Question: 97

You wish to add a function to your Enterprise Portal Employee Time Sheet entry, that will transfer the time sheet entries to a Project Hours journal, without the need for approval. Where should the code that creates the ProjJournalTrans records be placed?

- A - In the clicked method on a button on the WebForm.
- B - In a method on the datasource of the WebForm, that is called by the clicked method on the WebForm.
- C - In a form method on WebForm, that is called by the clicked method on the WebForm.
- D - In a class that is called by a menu item button on the WebForm.

Answer: D

Question: 98

Which of the following element properties should always be populated with a label id, according to

Best Practices?

- A - WebForm design .caption
- B - WebMenuitemMenuitemName
- C - WebReport.DataSources .Querq.Title
- D - Webpage.Helptext

Answer: A

Question: 99

You need to create a new field that will display the delivery date of a sales order in the Customer Self Service checkout screen, however the label for the field should read 'Proposed delivery date'. For internal users of Mapta, the label of the should remain as 'Delivery date'. What is the correct way to approach this according to Best Practices?

- A - Create a new Extended Data Type that extends DlvDate, and set the label property to 'Proposed delivery date' using an appropriate label file to store the label.
- B - Create a new Extended Data Type that extends DlvDate, and set the label property to 'Proposed delivery date', but do not use a label file.
- C - Change the DlvDate Extended Date Type label property to 'Proposed delivery date'.
- D - Set the label property on the new field to 'Proposed delivery date'.

Answer: A

Question: 100

Which TWO of the following method names comply with Best Practice naming conventions?

- A - WebUser.checWebLogin()
- B - EPSalesOrder.initFromInventTable()
- C - ProjJournalCreateEmplProjTimesheet.DavidsProjJournal()
- D - EPDocuParameters.NoLongerUsed()

Answer: A, B

Question: 101

The company you are working for wants to deploy a Live and Test Enterprise Portal. You have decided that each should be deployed on a separate Web server, but from the same Microsoft Axapta application. Which TWO of the following configurations will you require?

- A - One Business Connector on the Application Server.
- B - Two Business Connectors - one on each Web Server.
- C - In each instance of IIS, set the Web site to point at the Microsoft Axapta Business Connector.
- D - In each Web site record in Microsoft Axapta, set the Web server name to the relevant Web server.

Answer: A, B

Question: 102

A company has asked for your help with their Enterprise Portal. They do not allow guest access to their Portal, and do not have a Guest Web user. They do not want the Guest login option displayed on the Start page. How should you remove it?

- A - On the Customer Self-Service parameters, remove the Web user from the Guest user Login name field.
- B - Open the Start page in the Web Application Editor and delete the Guest login information.
- C - Remove the code from the EPGuestLogon class that generates the Guest login information.
- D - Open the Start page in the Web Application Editor and delete the EpGuestLogonPage Menu Item from the WebTargetWeblet's MenuItemDisplayName property.

Answer: A

Question: 103

You are installing an Enterprise Portal for a company who want to protect their sensitive data using SSL. Which steps would you take to install a digital certificate?

- A - From their Web site properties in 113, run the Web Server Certificate wizard to request and install a digital certificate from a certificating authority.
- B - Request a digital certificate from a certificating authority website then install it from the Microsoft Axapta Web site form.
- C - Request a digital certificate from the Microsoft Business Solutions website, then install it from the Microsoft Axapta Internet parameters.
- D - From the Microsoft Axapta Configuration Utility, run the Web Server Certificate wizard to request and install a digital certificate from a certificating authority.

Answer: A

Question: 104

Where do you install Internet Information Services (IIS) on a Windows based machine?

- A - From the Microsoft Axapta Configuration Utility on the 'Business Connector' tab.
- B - From the 'Add/Remove Windows Components' wizard in the 'Add/Remove Programs' dialog on the Windows Control Panel.
- C - From the 'Add/Remove Programs' dialog on the Windows Control Panel.
- D - By launching the 116 installation file from the Microsoft Axapta Installation CD.

Answer: B

Question: 105

You are installing an Enterprise Portal for a company. They have purchased a 25 user Enterprise Portal license. They have 50 users who will use the new Enterprise Portal, and one Web server. Which one of the following statements is correct?

- A - They must purchase another 25 user Enterprise Portal license for all users to have access to

the Enterprise Portal.

B - They do not need to purchase any more licenses, but only 25 users can log into the Enterprise Portal at the same time

C - They do not need to purchase any more licenses. They have only one Web server which is considered as one Enterprise Portal user.

D - They should purchase another Web server and allow 25 users to log in synchronously via each Web server.

Answer: B

Question: 106

When does the WebSecureTransaction' properly for a menu item need to be enabled?

A - If the menu item outputs vital data requiring secure communication.

B - If the menu item requires that a user is logged on to the Web site.

C - If it is necessary for the menu item to be run in exclusive mode, (i.e. only one user can run the menu [tem at a time).

D - If the menu item runs code that makes database transactions through a firewall.

Answer: A

Question: 107

Where can the Microsoft Axapta Business Connector be registered as a COM+ application?

A - From the Microsoft Axapta Configuration Utility.

B - From the Windows Control Panel.

C - From the Microsoft Axapta setup wizard.

D - From a Windows command prompt.

Answer: A

Question: 108

How can multi-lingual Web sites be deployed most efficiently in an anonymous access environment?

A - One Web site must be created for each language. There must also be a corresponding Web user for each Web site, with the correct language defined.

B - Multi-lingual websites cannot be deployed in an anonymous access environment.

C - By creating a Web user for each language who has access to the anonymous Web site.

D - Run three separate Microsoft Axapta applications, each in a different language. Deploy one Web site from each application.

Answer: A

Question: 109

In the Cascading StyleSheet Editor, your Stylesheet has the following FONT values: BODY= Anal

TABLE = Default TD = Default TD.grandtotal = Default If you wish to change the Font for all these tags and classes, which of the following values would you need to change?

- A - BODY
- B - BODY TABLE
- C - BODY, TABLE, TD
- D - TABLE, TD, TD.grandtotal

Answer: A

Question: 110

Where can the CSS editor be launched?

- A - From the Resource Preview form.
- B - From the Web application editor.
- C - From the Web project Explorer.
- D - From the cascading StyleSheet?menu.

Answer: A

Question: 111

How should you insert your own HTML code into a Web Page?

- A - Insert the HTML editor WebLet into the Web Page and type the HTML code into it.
- B - Type the HTML directly onto the Normal tab in the Web Application Editor. The Editor will parse the HTML tags automatically.
- C - Choose the HTML option from the Advanced sub-menu on the Insert menu in the Web Application Editor.
- D - HTML code cannot be inserted onto Microsoft Axapta Web Pages without being part of a WebLet.

Answer: C

Question: 112

The company you are working for has asked you to create a new Activity Center for the Marketing department. You have decided to duplicate the Sales Representative Activity Center and modify it. Which THREE of the following steps do you need to do?

- A - Create a new Marketing Web menu. Then, on the duplicated Web Page, point the Web Menu to the new Marketing Web menu.
- B - Create a new Marketing Web panel. Then on the duplicated Web Page, point the WebTargetWeblet to the new Marketing Web panel.
- C - Create new Web pages for each of the new Marketing Web forms and reports.
- D - Create a new Marketing Activity Center security key and user group, and assign the key to the new Web Panel.

Answer: A, B, D

Question: 113

What does the call `WebSession.cacheWrite(TRUE)` achieve?

- A - Sends the WebSession cache directly to the ASP response object.
- B - Cache the output on the WebSession until the same method is called with a FALSE parameter.
- C - Turn WebPage caching OFF on the Web Server.
- D - Turn WebPage caching ON on the Web Server.

Answer: B

Question: 114

How does the WebSession class detect a request from a PDA device?

- A - By testing the dimensions of the clients screen resolution from the `HTTP_UA_PIXELS` parameter. If they are smaller than 400 pixels the client is a PDA device.
- B - By checking the browser type from the `HTTP_USER_AGENT` parameter. If the type contains the string 'Windows CE' the client is a PDA device.
- C - By checking the browser type from the `HTTP_USER_AGENT` parameter. If the type contains the string 'PDA' the client is a PDA device.
- D- The WebSession class does not detect PDA devices. This is done in the WebApplication class.

Answer: B

Question: 115

What is the purpose of CSS (cascading style sheets)?

- A - To merge content and layout.
- B - To be cross-browser compliant.
- C - To separate content from layout.
- D- To provide multi-media content on your Web site.

Answer: C

Question: 116

Which below best describes the storage hierarchy of Web Pages in Microsoft Mapta?

- A - All Web Pages can be located in the ACT, all directly under the Web Pages node, which is under the Web node.
- B - All Web Pages can be located in the ACT, under Web, then Web Pages, from this node, there are 2 folders:
Standard
Pages, PDA Pages.
- C - All Web Pages can be located in the ACT, under Web, then Web Pages, then HTML Pages.

From this node, there are 3 folders: Standard Pages, PDA Horizontal Pages and PDA Vertical Pages.

D - Web Pages are only located in the Web Project/Application folders.

Answer: C

Question: 117

You have created a new CSS class in the Cascading StyleSheet Editor for displaying code in a fixed-width font. How do you apply it to text on your web pages?

A - In the Web Application Editor, highlight the text that should be displayed in a fixed-width font. On the formatting toolbar, select the new CSS class from the CSS list.

B - In the Web Application Editor, highlight the text that should be displayed in a fixed-width font. Right-click on the text and select CSS. Choose the new CSS class from the list.

C - In the Web Application Editor, open the Page Properties from the Format menu, and add the new CSS class to the CSS list.

D - CSS classes can only be applied to text inside Web elements or WebLets, not directly on Web Pages.

Answer: A

Question: 118

You need to add to the current StyleSheet so that you can easily specify areas of small red text. Using the Microsoft Axapta Cascading Style Sheet Editor, how would you add this?

A - Right-click on the Classes folder. and select 'Create Class'. Name the class 'smallredtext'. On the Font tab1 change Color to 'Red', and Absolute size to 'Small'.

B - Right-click on the HTML Tags folder and select 'Insert HTML Tag'. Add the HTML tag. On the Font tab1 change the Color to 'Red' and Absolute size to 'Small'.

C - On the 'body' node under 'HTML Tags', open the Font tab. Change the Color to 'Red' and Absolute size to 'Small'.

D - On the 'input.go' node under 'Classes', open the Font tab. Change the Color to 'Red' and Absolute Size to 'Small'.

Answer: A

Question: 119

In an Enterprise Portal, which of the following statements is TRUE about Activity Centers?

A - An Activity Center is a Web page containing links to information and tasks relating to a specific part of the application.

B - An Activity Center is limited to one specific role and cannot be made available to others.

C - An Activity Center can contain only questionnaires.

D - An Activity Center cannot be accessed by external users, eg. customers or vendors

Answer: A

Question: 120

Why are label files used in web application development? Choose TWO.

- A - Because static text cannot be saved into a Web page.
- B - Multi-language websites are easier to deploy and maintain
- C - They promote consistency across the application with regards to visible texts
- D - Performance is improved when using of label files.

Answer: B, C

Question: 121

Which TWO of the following options are available to insert from the Advanced sub-menu on the Insert menu in the Web Application Editor?

- A - Marquee
- B - Table
- C - Iframe
- D - ActiveX control

Answer: C, D

Question: 122

Which TWO of the following settings can be adjusted on the Web Application/Project Settings form?

- A - Online page
- B - Supports SSL
- C - Default language
- D - Web Application name

Answer: A, B

Question: 123

Which Web menu layouts are available?

- A - Horizontal, vertical, collapsed, expanded.
- B - Horizontal, vertical.
- C - Horizontal, vertical, tab, tree structure, combo box.
- D - Horizontal, vertical, layered, tree structure, combo box.

Answer: C

Question: 124

What do you need to do to delete a row in a WebGrid?

- A - Place the cursor on the grid row and press <ALT>+<F9>.

- B - Mark the row by selecting the checkbox in the electcolumn?column, and press the elete marked?button.
- C - Place the cursor in the grid row and press <DELETE>.
- D - Place the cursor in the grid row and press the elete?button.

Answer: B

Question: 125

What does the WebTarget property on a WebMenu sub-node do?

- A - Specifies the Web TargerWeblet that the Menu Items output will be directed at.
- B - Specifies the Menu Item that should be opened.
- C - Specifles the Web Application/Project that this Menu Item is relevant to.
- D - Specifies the DOM window name that the Menu Item's output should be opened in.

Answer: A

Question: 126

In the Web Application/Project settings, what does the 'Online Page' setting refer to?

- A - The Web page with the Logon form.
- B - The Web page displayed once a user is authenticated.
- C - The Web page displayed when a browser requests the Web site from outside the company intranet.
- D - The Web page with a switchboard to select the correct Portal to connect to.

Answer: B

Question: 127

When you use the 'View in Browser' feature on a Web form, which of the following options are available to you?

- A - View the Web form in any StyleSheet rendering.
- B- Test the functionality of the Web form.
- C - See how the Web form will appear in an Internet Explorer Browser.
- D - See how the Web form will appear in three different browser types: Internet Explorer, Netscape and Mozilla.

Answer: A, C

Question: 128

How is a startup page specitied?

- A - Name the page PHomePageOffline?
- B - Right click on the page and select et as startup page?
- C - Select the page on the Web site.

D - Change the Start page parameter in the Web application settings.

Answer: D

Question: 129

You need to start a new Microsoft Axapta project for an Enterprise Portal (similar to the standard Enterprise Portal). Which is the most efficient method of doing this?

- A - In the Project tree, create a new Project.
- B - In the Project tree, create a new Web Project.
- C - In the Project tree, duplicate the standard EnterprisePortal Web project.
- D - In the Project tree, duplicate the standard SimpleWebAppMe project.

Answer: C

Question: 130

What is the Document Object Model (DOM)?

- A - The DOM allows you to identity and reference tags in an HTML document.
- B - The DOM is another term for the Web folder in the ACT.
- C - The DOM is the screen in the Web Application Editor, where you can view your Web document in HTML format.
- D - The DOM is a version or COM for transferring documents in a particular schema.

Answer: A

Question: 131

You want to add some VOScript to make an Image change when the mouse moves over it. How can you achieve this?

- A - Make a new WebLet which is based on the WebImageWeblet. Add script which harnesses the 'mouseover' event. And changes the images 'src' value.
- B - Set the images 'AlternateImage' property to the name of the alternate image.
- C - Write a script which harnesses the 'mouseover' event, and changes the images 'src' value. Put this script in a VB file and save it to the Web server.
- D - This is not possible in the Microsoft Axapta Web framework.

Answer: A

Question: 132

Which method is called on the WebApplication class from default asp to start the Web application?

- A – Show().
- B – Run().
- C - Display().

D – Main().

Answer: A

Question: 133

On a WebLet, where is the output from the getHelpText() method displayed in the Weblet chooser form in the Web Application Editor?

- A - In the Name column
- B - In the Description column
- C - In the Web Application column
- D - In the Status Bar

Answer: B

Question: 134

You have a Web form that inputs data into Journals in the Microsoft Axapta database. Which path should your data take to get from the Web Form, and into the correct Journal tables.

- A - From the WebForm to a Table, then passed to a Class, and finally inserted into the correct JournalTable and JournalTrans tables.
- B - From the WebForm directly into the JournalTable and JournalTrans tables.
- C - From the WebForm to a Map, then inserted into the JournalTable and JournalTrans tables.
- D - From the WebForm to a standard Form, then inserted into the JournalTable and JournalTrans tables.

Answer: A

Question: 135

Which class generates the HTML for a Horizontal type Web menu?

- A - WebHorzMenuHTML
- B - WebMenuHTML
- C - WebMenuWeblet
- D - WebPageWeblet

Answer: A

Question: 136

if you put a value into args.name() and then pass this args to the WebFormHandler.new() method, what will the WebFormHandler class attempt to do with that value?

- A - It will attempt to load the WebForm in the location of the WebTargetWeblet specified by the value.
- B - It will verify if the Web user specified by the value is authorized to view the Web Form.
- C – It will verify if the Pole specified by the value is authorized to view the Web Form.

D - It will attempt to find a Web Form of that name, create a FormWebRun object and output the Web Form HTML.

Answer: D

Question: 137

What is a WebLet?

- A - A class which generates ASP code.
- B - A Microsott Axapta Java Applet.
- C - A class which generates HTML code.
- D - A server side script.

Answer: C

Question: 138

You have just created a new WebLet from scratch. Which THREE methods should you immediately create?

- A - description()
- B - webletName()
- C - getHelpText()
- D - getContext()

Answer: A, C, D

Question: 139

How is the login name for the current Web user retrieved?

- A – WebSession().WebLogin().
- B – WebSession().IoginName().
- C – Websession().user().
- D – WebSession().WebUser().

Answer: A

Question: 140

What is the default Connection Timeout setting on the IIS Web Site?

- A - 1000 seconds
- B - 25 minutes
- C - 30 minutes
- D - 900 seconds

Answer: D

Question: 141

The company you are working for would like to use their users email addresses as their login to the new Enterprise Portal. What can you do about this?

- A - This will work in the Microsoft Axapta Enterprise Portal, so long as all characters are in lowercase.
- B - Logins longer than 10 characters will not be accepted by the standard Enterprise Portal. You may have to add code to translate the email addresses to shorter 10 character representations.
- C - Logins longer than 10 characters will not be accepted by the standard Enterprise Portal. You cannot use email addresses to login.
- D - This will work if you increase the length of the WebLogin extended data type.

Answer: B

Question: 142

How can you disable caching on a Web site?

- A - On the Content tab on the Web Sites form, deactivate the Caching option.
- B - On the Content tab on the Web Sites form, activate the Development Mode option.
- C - On the Web Application/Project Properties, set 'Caching' to No.
- D - On the Web Application/Project Settings, set 'Development Mode' to Yes.

Answer: B

Question: 143

The WebLogin extended data type has a default length of 10 characters. What is the optimal length to change it to?

- A - 50 characters
- B - 150 characters
- C - 500 characters
- D - Changing this data type will not assist in any way.

Answer: D

Question: 144

You are in the process of developing an Enterprise Portal, and are testing it in a browser. The changes you have just made in the application are not appearing in the browser window. What is the most likely cause?

- A - The Business Connector is not working.
- B - Cookies has not been enabled on the browser.
- C - 'Caching' is set to Yes on the Web site.
- D - 'Development Mode' is set to No on the Web site.

Answer: D

Question: 145

You have been experiencing difficulty with your web server. A port scan has revealed that your port 80 has been infected with a parasitic piece of software. You urgently need to demo a Microsoft Axapta Enterprise Portal on that web server. How can you circumvent the issue temporarily?

A - There is nothing you can do until the parasitic software is removed. Try to use a different Web server.

B - Change the 'WWW address' field on the Microsoft Axapta Web Site properties to include a number other than 80. You can then call that port explicitly in a browser.

C - Change the TCP port in the 113 Web Site properties to a number other than 80. You can then call that port explicitly in a browser.

B - Change the TCP port in the 113 Web Site properties to a number other than 80. You also need to add the new port number to the 'WWW address' field on the Microsoft Axapta Web site record. You can then call that port explicitly in a browser.

Answer: D

Question: 146

How is online help for a Web form written?

A - Press <F1> on the Web form in the ACT and select dit?

B - Right click on the Web form in the ACT and select dit help?

C - Right-click on the web form in the ACT, select dit?then press <E1>

D - Press <F1> on the web form in the ACT.

Answer: A

Question: 147

Which TWO of the following method names comply with Best Practice naming conventions?

A - WebUser.checkWebLogin()

B - EPSalesOrder.initFromInventTable()

C - ProjJournalCreateEmplProjTimesheet.DavidsProJournal()

D- EPDocuParameters.NOLOngerUsed()

Answer: A, B

Question: 148

Which of the following element types should always have a security key associated with them.

A - Menu Items

B - WebPages

C - WebForms

D - WebReports

Answer: A

Question: 149

When a WebForm has multiple purposes (for example, creating both a sales order and a quotation), how do you enable help texts to be specific to the current function that the WebForm is performing?

- A - Create specific help texts on the menu items that call the form.
- B - Specify the help text in the init method of the WebForm.
- C - Specify the help text in the clicked method of menu button control of the caller form.
- D - Help texts cannot be specific to the current function and so should be generic.

Answer: A

Question: 150

You need to create a new field that will display the delivery date of a sales order in the Customer Self Service checkout screen, however the label for the field should read 'Proposed delivery date'. For internal users of Axapta, the label of the should remain as 'Delivery date'. What is the correct way to approach this according to Best Practices?

- A - Create a new Extended Data Type that extends DlvDate, and set the label property to 'Proposed delivery date' using an appropriate label file to store the label.
- B - Create a new Extended Data Type that extends DlvDate, and set the label property to 'Proposed delivery date'. but do not use a label file.
- C - Change the DlvDate Extended Date Type label property to 'Proposed delivery date'.
- D - Set the label property on the new field to 'Proposed delivery date'.

Answer: A